

INDUSTRIAL SYMBIOSIS OF STEEL AND FERTILIZER INDUSTRY


STAMICARBON'S ROLE IN CO₂ NEUTRALITY THROUGH AMMONIA & UREA PRODUCTION
USING STEEL INDUSTRY OFF-GASES

“INITIATE PROJECT”

Akbar Siddiqui – Product Portfolio Manager Stamicarbon the Netherlands

Eric van Dijk – Project Coordinator TNO, the Netherlands


CBAM IMPLIMENTATIONS TIMELINE



[Carbon Border Adjustment Mechanism - European Commission \(europea.eu\)](https://europea.eu)


WHY CCUS IN IRON AND STEEL

IN ALL SCENARIOS RELATED TO THE Paris goals, CCS AND CCU PLAY a role



Source: Maire

An important reason for this is that over 25% of CO₂ emissions are difficult to avoid with other measures



INITIATE IN A NUTSHELL

CONCEPT

- › EU Horizon 2020 Program: Nov. 2020 – Nov. 2025
- › 21.3 M€ EU funding
- › Focus is to provide decarbonization solutions to hard-to-abate (H2A) industries.
- › Industrial symbiosis between iron and steel sector and fertilizer and fuel sector by ammonia and/or urea production.



The INITIATE project has received funding from the European Union's Horizon 2020 research and innovation program under grant agreement No 958318.

VISION

- › Create bankable case for a first commercial size demonstrator at a scale of 50 kt/y urea production capacity on the basis of Basic Oxygen Furnace Gas (BOFG) directly from the steel mill.

ROUTE


- › Demonstration of continuous production of decarbonized NH_3 from BOFG at 1.3 $\text{t}_{\text{NH}_3}/\text{d}$ scale
- › Site identification
- › Business plan development, IP&R, ownership, collaboration.

MULTIPLE ROUTES TOWARDS CO₂ NEUTRALITY




2 t_{CO2}/t_{HRC}

- Coal → NG, H₂
- CO₂ capture
- More scrap
- Efficiency



Industrial Symbiosis


Natural Gas



1.8 t_{CO2}/t_{NH3}

- CO₂ capture
- Green H₂

INITIATE INDUSTRIAL SYMBIOSIS




ENABLING TECHNOLOGIES

SORPTION ENHANCED WATER GAS SHIFT - SEWGS


- › Combining CO₂ separation with WGS reaction
- › Kisuma industrially sourced solid adsorbent
- › Optimizing N₂/N₂ while removing CO₂
- › Minimization of energy requirement

SUB-STOICHIOMETRIC NH₃ SYNTHESIS


- › Stami Green Ammonia converter – 5 mtpd
- › Suitable for variable H₂/N₂ ratio
- › Simplification of knock-out and recycle
- › Suitable for dynamics



INITIATE- PARTNERSHIP



PROCUREMENT & CONSTRUCTION




PROCUREMENT & CONSTRUCTION

Pilot capacity 400 Nm³/h BOFG
2.8 t_{NH3}/d (1.3 t_{NH3}/d demonstration)
8.3 t_{CO2}/d



Hoisting the WGS reactor into place



Positioning of SEWGS reactor 1

THIS IS WHAT IT SHOULD LOOK LIKE



Utility rooms installation



BOFG filtration & sampling station and pipeline



BOFG compressor upgrade



NH₃ reactor







Functional materials in production and delivery

CHALLENGE: BOFG DYNAMICS

ADVANCED CONTROL

- › Creation of digital twin for advanced control strategies
- › Quantification through piloting and TEA



TECHNO ECONOMIC ANALYSIS



COMPARISON OF CASES

- › Base Stand-alone Steel and NH₃/Urea
- › Reference Stand alone Steel and NH₃/Urea with amine-based CCS
- › INITIATE Integrated Steel and NH₃/Urea with CC-S&U

small: BOFG
large: BFG+BOFG


Primary energy intensity can be significantly reduced

Carbon footprint reduction up to 80%




TECHNO ECONOMIC ANALYSIS

Small scale - BOFG



Large scale - BFG+BOFG



UREA production cost can be significantly reduced and negative cost of CO₂ avoided achieved


LIFE CYCLE ANALYSIS

Reference case and INITIATE cases relative to the base case


Base = Current industries

Reference = Stand alone Steel and NH₃/Urea with amine-based CCS


INITIATE = Integrated Steel and NH₃/Urea with CC-S&U



LIFE CYCLE ANALYSIS




KEY COSTS DRIVERS & UNCERTAINTIES




Summary key uncertainties	
Level	Key drivers and uncertainties
EU	<ul style="list-style-type: none">• ETS price• CBAM / free allowances• RED3 fuels/chemicals
EU + local	<ul style="list-style-type: none">• Legal• Extra price/value products• Subsidies
Local	<ul style="list-style-type: none">• CO₂ storage costs, specs, availability• Market volume products• Green electricity / natural gas costs & availability• H₂ costs & availability
Internal (consortium)	<ul style="list-style-type: none">• SEWGS OPEX• Production at scale• Chemical plant availability (CAPEX)

COMMERCIAL IMPLEMENTATION PLAN




Focus: long-term implementation plan including a collaborative strategy to align stakeholders' needs

Through the definition of the FOAK and the long-term vision



COMMERCIAL IMPLIMENTATION PLAN



CONTACTS

Akbar Ali Siddiqui – Product Portfolio Manager

Stamicarbon, the Netherlands

Akbar.Siddiqui@stamicarbon.com

Eric van Dijk – INITIATE Project Coordinator

TNO, the Netherlands

eric.vandijk@tno.nl

